





We Design Octaves of Technology



WATCHWITZ BLAZON





WatchWitz WEMEET|| WatchWitz BLAZON || Apropos Gumption||World of WatchWItz - Blazon

SHARE YOUR WORLD WITH THE WORLD



Virtual Classroom systems / networks Professional Broadcasting services Cloud / CDN / Dedicated Media Servers

Live Medical events / live surgeries Live music events / corporate events

We Design Octaves of Technology

WATCHWITZ BLAZON









WATCHWITZ BLAZON 101

> Live Broadcasting Solution

WATCHWITZ BLAZON 102


> Live Broadcasting Solution with Professional quality Audio setup

WATCHWITZ BLAZON 103

> Live Broadcasting Solution with HD quality Audio-Video setup



SHARE YOUR WORLD WITH THE WORLD







We Design Octaves of Technology

WatchWitz Blazon Specifications

WatchWitz BLAZON 103 Integrated Main Camera

Lens: Carl Zeiss, Zoom lens

Optical Zoom: 10x, f = 5.4 to 54 mm, filter diameter: 37 mm

Focal length (equivalent to 35mm film):

16:9 video mode: 40 to 400mm (equivalent to 35mm film) 4:3 video mode: 49 to 490mm (equivalent to 35mm film) 16:9 photo mode: 40 to 400mm (equivalent to 35mm film) 4:3 photo

mode: 37 to 370mm

Component video output: RCA Pin x3
 Composite video output: RCA Pin x1
 S Video output: Mini-DIN 4-pin x1
 Digital video output: HDMI connector

•HDV/DV input/output: i.LINK interface (IEEE 1394, 4-pin

connector)

WatchWitz BLAZON 101 / 102 / 103 Video Capture device

Input:

Digital: HDMI 1.3

Analog: Component (YPbPr support 1080i / 720p) /

Composite / S-Video / Audio (L/R)

Input Video Resolution:

Composite & S-Video: 720x480@60i, 720x576@50i

Component:

720x480@60i/60p / 720x576@50i/50p / 1280x720@50p/60p / 1920x1080@50i/60i

HDMI:

640x480@60/72/75/85 / 720x480@60i/60p / 720x576@50i/50p / 800x600@56/60/72/75/85 / 1024x768@60/70/75/85 / 1152x864@75 / 1280x720@50p/60p / 1280x768@60 / 1280x800@60 / 1280x960@60 / 1360x768@60 / 1280x1024@50 / 1440x900@50 / 1600x1200@30 / 1680x1050@35 / 1920x1080@50i/60i / 1920x1080@24/25/30

WatchWitz BLAZON User Interface

User-friendly graphical interface Touch screen compatible

WatchWitz BLAZON 102 / 103 Audio Features

Full-duplex audio Instant Echo Cancellation Automatic Gain Control (AGC) Automatic Noise Suppression (ANS)

Audio mixer Built-in Amplifier

Independent LED indicator for WatchWitz microphone

Microphone and input audio

WatchWitz BLAZON 102 / 103 Wireless Microphone

•Unidirectional wireless microphone

•Reduces transmission of surround noise

•On-Off button
•Light-weight

WatchWitz BLAZON 102 / 103 Wireless Receiver

• VHF Band frequency Quartz Lock Control.

• Wireless Mic

• Frequency Range 180-270MHz.

• Single Channel Receiver.

• Output: Balanced XLR / Unbalanced 6.35mm phone jack

freq. response : 50Hz -50KHzPower : 15 volt 800 milliamp

telescopic antenna

 max working range: 100m (under ideal conditions) actual range depends on RF signal absorption reflection & interference

RF output : 10mW (max)Battery : alkaline type

WatchWitz BLAZON 102 / 103 Integrated Speaker, Amplifier and Wireless Receiver

 $\,^{\bullet}\text{Max}$ 200 Watts RMS @ 2 OHMS or 50 RMS @ 4 OHMS speakers arranged for best performance

•Wireless receiver with frequency range 224 MHz to 297 MHz


•Wireless receiver range: 30 meters minimum

•Amplifier: 600 Watts RMS with 4 channel non interlaced input

Speakers On/Off

•Built-in adjustable level

•Master volume control. User-tuned treble and bass controls




WatchWitz WEMEET|| WatchWitz BLAZON || Apropos Gumption||World of WatchWItz - Blazon

SHARE YOUR WORLD WITH THE WORLD



We Design Octaves of Technology

Multiple Transcoding / Broadcasting Options



Watchwitz Blazon supports multiple transcoding modes:

- 1) Live streaming to multiple servers which gives a power to use more than single CDN, Cloud or dedicated server network at the same time.
- 2) Transcoding to multiple resolutions at local level This ensures minimum delay and live broadcast in all viewer locations as well as optimum usage of available resources.
- 3) Transcoding on Server This ensures multiple resolution on different bandwidth available at viewer locations
- 4) Direct Broadcast mode if you have good bandwidth and static IP you can use Watchwitz BLAZON for direct broadcast on internet without being dependent on any service provider or server resources




WatchWitz WEMEET|| WatchWitz BLAZON || Apropos Gumption||World of WatchWItz - Blazon

SHARE YOUR WORLD WITH THE WORLD



We Design Octaves of Technology

Support of Multiple Audio/Video input types



Watchwitz Blazon supports variety of audio-video inputs ranging from high quality professional devices including:

- HDMI
- YPbPr
- Composite
- S-Video
- Audio-Video Mixers & Professional Cameras
- USB Audio/Video Devices & Webcams




WatchWitz WEMEET|| WatchWitz BLAZON || Apropos Gumption||World of WatchWItz - Blazon

SHARE YOUR WORLD WITH THE WORLD



We Design Octaves of Technology

Enhanced Viewer experience



Watchwitz Blazon supports enhanced user experience:

- Customized viewer page
- Support for Password protected and open broadcasts
- Space for Sponsor and advertisements
- Co-branding of your website / logo
- Customized greeting message to viewers



WatchWitz WEMEET|| WatchWitz BLAZON || Apropos Gumption||World of WatchWItz - Blazon

SHARE YOUR WORLD WITH THE WORLD